


大理石平台

MARBLE PLATFORM




精度高稳定性好

经长期天然时效，内应力消失，不磁化，稳定性好




不产生凸纹毛刺

工作面受碰撞或划伤后，只会产生凹坑，
不产生凸纹、毛刺，对测量精度无影响



45°倒角防止受伤

消除毛边，使边缘钝化安全，保护操作者不受伤害



详情参数

规格 (mm)	重量 (KG)	000级精度 (μm)	00级精度 (μm)	0级精度 (μm)	1级精度 (μm)
200×150×50	5	1.5	3	5.5	11
200×300×50	10	1.5	3	5.5	11
300×300×50	15	1.5	3	6	12
300×400×50	20	1.5	3	6	13
400×400×100	53	2	3.5	7	14
400×500×100	60	2	3.5	7	14
400×600×100	72	2	3.5	7	14
500×500×100	75	2	3.5	7	14
500×600×100	90	2	3.5	7	14
500×800×100	166	2	4	8	16
600×800×100	172	2.5	4.5	9	18
600×900×100	290	2.5	4.5	9	18
1000×630×150	350	2.5	4.5	9	18
750×1000×150	465	2.5	4.5	9	18
1000×1000×150	486	2.5	5	10	20
1000×1200×150	500	2.5	5	10	20
1000×1500×150	920	2.5	5	10	20
1000×2000×200	1400	3.5	6.5	13	26
1500×2000×250	1800	3.5	7	14	28